




主要零部件材料

序号	零件名称	材料			序号	零件名称	材料		
		碳钢	不锈钢	低温钢			碳钢	不锈钢	低温钢
1	阀体	A216WCB	A351 CF8M	A352 LCC	15	下轴衬	PTFE+CS	PTFE+CS	PTFE+CS
2	排泄阀	A105+ENP	A182 F316	A350 LF3	16	球体	A105+ENP	A182 F316	A350 LF3
3	注脂阀	A105+ENP	A182 F316	A350 LF3	17	平面轴衬	PTFE+CS	PTFE+CS	PTFE+CS
4	螺母	A194 2H	A194 8	A194 7	18	上轴衬	PTFE+CS	PTFE+CS	PTFE+CS
5	螺柱	A193 B7	A193 B8	A320 L7	19	阀盖	A216 WCB	A351 CF8M	A352 LCC
6	注脂阀	A105+ENP	A182 F316	A350 LF3	20	O型圈	氟橡胶		
7	阀杆	A182 F6a	A182 F316	A182 F316	21	垫片	柔性石墨+SS		
8	防火垫	柔性石墨			22	O型圈	氟橡胶		
9	O型圈	氟橡胶			23	填料	柔性石墨		
10	弹簧	Incone1600			24	压盖	A105+ENP	A182 F316	A350 LF3
11	支撑圈	A105+ENP	A182 F316	A350 LF3	25	螺钉	A193 B7	A193 B8	A320 L7
12	垫片	柔性石墨+SS			26	键	ANSI 1045	ANSI 1045	ANSI 1045
13	阀座	A105+ENP	A182 F316	A350 LF3	27	手柄	Q235A		
14	密封圈	PTFE, NYLON, PEEK, PCTFE			注：可根据不同工矿和用户要求选用不同的材料。				



HELP:

手动上装式全径球阀
手动上装式缩径球阀
上装式缩径球阀
上装式全径球阀

Manual Trunnion Mounted Full Port Ball Valve
Manual Trunnion Mounted Reduce Port Ball Valve
Trunnion Mounted Reduce Port Ball Valve
Trunnion Mounted Full Port Ball Valve

Wenzhou Kerui Valve Industry Co., LTD

Address:

No.1 Tantou Village, Yongqiang High-tech Park, Longwan District, Wenzhou City, China

Post Code: 328024

Tel: +86-577-86928881 / +86-577-86990007

Fax: +86-577-86912312

E-mail: sale@createvalve.com / offer@createvalve.com



HELP: 主要外形尺寸 Main External Dimensions

主要外形尺寸

CLASS 150

mm

DN	NPS	A			B	B1	D	E	F	H	L1	W	重量kg R F
		R F	R J	WE									
50x40	2x21/2	292	295	292	38	51	/	85	180	212	450	/	25
50	2	292	295	292	51	51	/	85	180	212	450	/	28
80x50	3x2	356	359	356	51	77	/	85	180	212	450	/	37
80	3	356	359	356	77	77	/	112	230	228	600	/	55
100x80	4x3	432	435	432	77	102	/	112	230	228	600	/	75
100	4	432	435	432	102	102	/	145	283	272	600	/	105
150x100	6x4	559	562	559	102	152	/	145	283	272	600	/	140
150	6	559	562	559	152	152	281	220	325	333	297	350	235
200x150	8x6	660	664	660	152	203	281	220	325	333	297	350	265
200	8	660	664	660	203	203	320	260	405	384	360	500	430
250x200	10x8	787	791	787	203	254	320	260	405	384	360	500	480
250	10	787	791	787	254	254	360	311	490	424	360	500	475
300x250	12x10	838	841	838	254	305	360	311	490	424	360	500	510
350x300	14x10	889	892	889	254	337	360	311	490	424	360	500	690
300	12	838	841	838	305	305	403	366	570	467	340	700	610
350x300	14x12	889	892	889	305	337	403	366	570	467	340	700	820
400x300	16x12	991	994	991	305	387	403	366	570	467	340	700	970
350	14	889	892	889	337	337	453	428	660	517	340	700	795
400x350	16x14	991	994	991	387	337	453	428	660	517	340	700	955
400	16	991	994	991	387	387	459	450	700	549	545	700	1160
450x400	18x16	1092	1095	1092	387	438	450	450	700	549	545	700	1295
500x400	20x16	1194	1200	1194	387	489	459	450	700	549	545	700	1590
450	18	1092	1095	1092	438	438	502	473	755	577	575	700	1570
500x450	20x18	1194	1200	1194	438	489	502	473	755	577	575	700	1800
500	20	1194	1200	1194	489	489	551	580	870	626	575	700	2000
600x500	24x20	1397	1406	1397	489	591	551	580	870	626	575	700	2440
600	22	1295	1305	1295	540	540	578	590	955	653	575	700	2830
650	24	1397	1406	1397	591	591	606	600	1030	696	579	700	3300
750x600	30x24	1651	1664	1651	591	736	606	600	1030	696	579	700	4100
650	26	1448	1460	1448	635	635	675	635	1075	765	570	700	3970
700	28	1549	1562	1549	686	686	735	700	1165	825	579	700	4755
750	30	1651	1664	1651	736	736	795	775	1250	865	579	700	5820
900x750	36x30	2083	2098	2083	736	876	795	775	1250	865	579	700	7200
800	32	1778	1794	1778	781	781	840	825	1325	1012	605	620	7240
850	34	1930	1946	1930	832	832	875	880	1410	1047	605	620	7960
900	36	2083	2098	2083	876	876	931	930	1475	1103	605	620	9300
1000	40	2337	2337	2337	978	978	1015	1025	1640	1170	950	1400	12950
1050	42	2437	2437	2437	1022	1022	1065	1080	1710	1220	950	1400	15200
1200	48	2540	2540	2540	1168	1168	1180	1228	1940	1335	950	1400	22750

Wenzhou Kerui Valve Industry Co., LTD

Address:

No.1 Tantou Village, Yongqiang High-tech Park, Longwan District, Wenzhou City, China

Post Code: 328024

Tel: +86-577-86928881 / +86-577-86990007

Fax: +86-577-86912312

E-mail: sale@createvalve.com / offer@createvalve.com



HELP: 主要外形尺寸 Main External Dimensions

主要外形尺寸		CLASS 300											mm
DN	NPS	A			B	B1	D	E	F	H	L1	W	重量kg R F
		R F	RTJ	WE									
50x40	2x2 1/2	292	295	292	38	51	/	85	180	212	450	/	29
50	2	292	295	292	51	51	/	85	180	212	450	/	33
80x50	3x2	356	359	356	51	77	/	85	180	212	450	/	43
80	3	356	359	356	77	77	/	112	230	228	600	/	64
100x80	4x3	432	435	432	77	102	/	112	230	228	600	/	88
100	4	432	435	432	102	102	/	145	283	272	1000	/	123
150x100	6x4	559	562	559	102	152	/	145	283	272	1000	/	164
150	6	559	562	559	152	152	281	220	325	345	360	500	275
200x150	8x6	660	664	660	152	203	281	220	325	345	360	500	311
200	8	660	664	660	203	203	330	260	405	385	340	700	505
250x200	10x8	787	791	787	203	254	330	260	405	385	340	700	563
250	10	787	791	787	254	254	371	311	490	426	340	700	557
300x250	12x10	838	841	838	254	305	371	311	490	426	340	700	598
350x300	14x10	889	892	889	254	337	371	311	490	426	340	700	809
300	12	838	841	838	305	305	418	366	570	473	340	700	715
350x300	14x12	889	892	889	305	337	418	366	570	473	340	700	960
400x300	16x12	991	994	991	305	387	418	366	570	473	340	700	1135
350	14	889	892	889	337	337	470	428	660	530	545	700	932
400x350	16x14	991	994	991	387	337	470	428	660	530	545	700	1120
400	16	991	994	991	387	387	477	450	700	537	545	700	1360
450x400	18x16	1092	1095	1092	387	438	477	450	700	537	545	700	1518
500x400	20x16	1194	1200	1194	387	489	477	450	700	537	545	700	1865
450	18	1092	1095	1092	438	438	522	473	755	597	575	700	1840
500x450	20x18	1194	1200	1194	438	489	522	473	755	597	575	700	2110
500	20	1194	1200	1194	489	489	573	580	880	663	575	700	2340
600x500	24x20	1397	1406	1397	489	591	573	580	880	663	579	700	2860
600	22	1295	1305	1295	540	540	600	590	965	690	579	700	3320
650	24	1397	1406	1397	591	591	631	600	1040	721	579	700	3870
750x600	30x24	1651	1664	1651	591	736	631	600	1040	721	579	700	4810
650	26	1448	1460	1448	635	635	702	635	1085	874	605	620	4655
700	28	1549	1562	1549	686	686	764	700	1175	919	950	1400	5575
750	30	1651	1664	1651	736	736	827	775	1265	982	950	1400	6825
900x750	36x30	2083	2098	2083	736	876	827	775	1265	982	950	1400	8440
800	32	1778	1794	1778	781	781	874	825	1340	1029	950	1400	8490
850	34	1930	1946	1930	832	832	910	880	1425	1065	950	1400	9335
900	36	2083	2098	2083	876	876	968	930	1490	1123	950	1400	10900
1000	40	2337	2337	2337	978	978	1056	1025	1655	1211	950	1400	15185
1050	42	2437	2437	2437	1022	1022	1107	1080	1725	1262	950	1400	17820
1200	48	2540	2540	2540	1168	1168	1228	1225	1960	1499	1045	1400	26675

Wenzhou Kerui Valve Industry Co., LTD

Address:

No.1 Tantou Village, Yongqiang High-tech Park, Longwan District, Wenzhou City, China

Post Code: 328024

Tel: +86-577-86928881 / +86-577-86990007

Fax: +86-577-86912312

E-mail: sale@createvalve.com / offer@createvalve.com



HELP: 主要外形尺寸 Main External Dimensions

主要外形尺寸		CLASS 600										mm	
DN	NPS	A			B	B1	D	E	F	H	L1	W	重量kg R F
		R F	RTJ	WE									
50x40	2x21/2	292	295	292	38	51	/	85	180	212	450	/	33
50	2	292	295	292	51	51	/	85	180	212	600	/	37
80x50	3x2	356	359	356	51	77	/	85	180	212	600	/	48
80	3	356	359	356	77	77	/	112	230	228	1000	/	72
100x80	4x3	432	435	432	77	102	/	112	230	228	1000	/	97
100	4	432	435	432	102	102	/	145	283	250	1000	/	137
150x100	6x4	559	562	559	102	152	/	145	283	250	1000	/	181
150	6	559	562	559	152	152	281	220	325	336	340	700	302
200x150	8x6	660	664	660	152	203	281	220	325	336	340	700	340
200	8	660	664	660	203	203	340	260	415	395	340	700	560
250x200	10x8	787	791	787	203	254	340	260	415	395	340	700	625
250	10	787	791	787	254	254	355	311	505	415	545	700	710
300x250	12x10	838	841	838	254	305	355	311	505	415	545	700	760
350x300	14x10	889	892	889	254	337	355	311	505	415	545	700	1030
300	12	838	841	838	305	305	401	366	585	461	545	700	910
350x300	14x12	889	892	889	305	337	401	366	585	461	545	700	1230
400x300	16x12	991	994	991	305	387	401	366	585	461	545	700	1450
350	14	889	892	889	337	337	451	428	680	526	575	700	1190
400x350	16x14	991	994	991	387	337	451	428	680	526	575	700	1430
400	16	991	994	991	387	387	493	450	730	568	575	700	1735
450x400	18x16	1092	1095	1092	387	438	493	450	730	568	575	700	1940
500x400	20x16	1194	1200	1194	387	489	493	450	730	568	575	700	2380
450	18	1092	1095	1092	438	438	539	473	784	629	579	700	2350
500x450	20x18	1194	1200	1194	438	489	539	473	784	629	579	700	2700
500	20	1194	1200	1194	489	489	592	580	900	682	579	700	3000
600x500	24x20	1397	1406	1397	489	591	592	580	900	682	579	700	3660
600	22	1295	1305	1295	540	540	621	590	890	711	579	700	4240
650	24	1397	1406	1397	591	591	653	600	1070	808	950	1400	4950
750x600	30x24	1651	1664	1651	591	736	653	600	1070	808	950	1400	6150
650	26	1448	1460	1448	635	635	728	635	1115	880	950	1400	5950
700	28	1549	1562	1549	686	686	790	700	1210	945	950	1400	7130
750	30	1651	1664	1651	736	736	850	775	1300	1005	950	1400	8730
900x750	36x30	2083	2098	2083	736	876	850	775	1300	1005	950	1400	10800
800	32	1778	1794	1778	781	781	900	825	1380	1055	950	1400	10850
850	34	1930	1946	1930	832	832	940	880	1460	1095	950	1400	11930
900	36	2083	2098	2083	876	876	1000	930	1535	1155	950	1400	13950
1000	40	2337	2337	2337	978	978	1090	1025	1700	1360	1045	1400	19420
1050	42	2437	2437	2437	1022	1022	1140	1080	1775	1410	1045	1400	22350
1200	48	2540	2540	2540	1168	1168	1270	1225	2015	1570	1080	1400	32340

Wenzhou Kerui Valve Industry Co., LTD

Address:

No.1 Tantou Village, Yongqiang High-tech Park, Longwan District, Wenzhou City, China

Post Code: 328024

Tel: +86-577-86928881 / +86-577-86990007

Fax: +86-577-86912312

E-mail: sale@createvalve.com / offer@createvalve.com



HELP: 主要外形尺寸 Main External Dimensions

主要外形尺寸		CLASS 900											mm
DN	NPS	A			B	B1	D	E	F	H	L1	W	重量kg R F
		R F	RTJ	WE									
50x40	2x21/2	368	371	368	38	51	/	85	195	215	450	/	49
50	2	368	371	368	51	51	/	85	195	215	600	/	52
80x50	3x2	381	384	381	51	77	/	85	195	215	600	/	70
80	3	381	384	381	77	77	/	112	240	193	1000	/	108
100x80	4x3	457	460	457	77	102	/	112	240	193	1000	/	146
100	4	457	460	457	102	102	227	145	295	291	360	500	200
150x100	6x4	610	613	610	102	152	227	145	295	291	360	500	273
150	6	610	613	610	152	152	258	225	330	313	340	700	456
200x150	8x6	737	740	737	152	203	258	225	330	313	340	700	573
200	8	737	740	737	203	203	318	260	425	378	545	700	845
250x200	10x8	838	841	838	203	254	318	260	425	378	545	700	943
250	10	838	841	838	254	254	370	320	525	430	545	700	1070
300x250	12x10	965	968	965	254	305	370	320	525	430	545	700	1150
350x300	14x10	1029	1038	1029	254	324	370	320	525	430	545	700	1550
300	12	965	1140	965	305	305	418	375	600	493	575	700	1675
350x300	14x12	1029	1038	1029	324	324	418	375	600	493	575	700	1855
400x300	16x12	1130	1140	1130	305	324	418	375	600	493	575	700	2185
350	14	1029	1038	1029	324	375	470	440	695	545	575	700	1800
400x350	16x14	1130	1140	1130	324	375	470	440	695	545	575	700	2160
400	16	1130	1140	1130	375	375	515	465	750	605	579	700	2650
450x400	18x16	1219	1232	1219	375	425	515	465	750	605	579	700	2925
500x400	20x16	1321	1334	1321	375	473	515	465	750	605	579	700	3590
450	18	1219	1232	1219	425	425	560	485	800	650	579	700	3550
500x450	20x18	1321	1331	1321	425	473	560	485	800	650	579	700	4100
500	20	1321	1331	1321	473	473	620	600	925	775	950	1400	4530
600x500	24x20	1549	1568	1549	473	571	620	600	925	775	950	1400	5520
600	22	1549	1568	1549	571	571	680	620	1095	835	950	1400	7450
750x600	30x24	1880	1902	1880	571	714	680	620	1095	835	950	1400	9225
650	26	1651	1674	1651	619	619	760	655	1145	915	950	1400	8925
700	28	1753	1775	1753	667	667	824	720	1240	979	950	1400	10695
750	30	1880	1902	1880	714	714	886	800	1335	1157	950	1400	13095
900x750	36x30	2286	2315	2286	714	857	886	800	1335	1157	950	1400	15700
800	32	2032	2054	2032	762	762	938	848	1415	1209	1045	1400	16200
850	34	2159	2188	2159	810	810	980	905	1495	1251	1045	1400	17800
900	36	2286	2315	2286	857	857	1042	957	1570	1313	1045	1400	20930

Wenzhou Kerui Valve Industry Co., LTD

Address:

No.1 Tantou Village, Yongqiang High-tech Park, Longwan District, Wenzhou City, China

Post Code: 328024

Tel: +86-577-86928881 / +86-577-86990007

Fax: +86-577-86912312

E-mail: sale@createvalve.com / offer@createvalve.com



HELP: 主要外形尺寸 Main External Dimensions

主要外形尺寸

CLASS 1500

mm

DN	NPS	A			B	B1	D	E	F	H	L1	W	重量kg R F
		R F	RTJ	WE									
50x40	2x21/2	368	371	368	38	51	/	85	205	179	450	/	49
50	2	368	371	368	51	51	/	85	205	179	600	/	52
80x50	3x2	470	473	470	51	77	/	85	205	179	600	/	98
80	3	470	473	470	77	77	/	120	250	201	1000	/	152
100x80	4x3	546	549	546	77	102	/	120	250	201	1000	/	205
100	4	546	549	546	102	102	240	155	310	295	360	700	280
150x100	6x4	705	711	705	102	146	240	155	310	295	360	700	382
150	6	705	711	705	146	146	273	240	370	333	545	700	640
200x150	8x6	832	841	832	146	194	273	240	370	333	545	700	720
200	8	832	841	832	194	194	335	280	455	410	575	700	1180
250x200	10x8	991	1000	991	194	241	335	280	455	410	575	700	1320
250	10	991	1000	991	241	241	385	340	565	460	575	700	1500
300x250	12x10	1130	1146	1130	241	289	385	340	565	460	575	700	1600
350x300	14x10	1257	1276	1257	241	317	385	340	565	460	575	700	2170
300	12	1130	1146	1130	289	289	436	400	670	511	575	700	2065
350x300	14x12	1257	1276	1257	318	317	436	400	670	511	575	700	2780
400x300	16x12	1384	1406	1384	289	362	436	400	670	511	575	700	3280
350	14	1257	1276	1257	317	317	485	467	730	575	579	700	2700
400x350	16x14	1384	1406	1384	317	362	485	467	730	575	579	700	3240
400	16	1384	1406	1384	362	362	530	495	790	620	579	700	3980
450	18	1537	1559	1537	407	407	585	520	840	740	950	1400	5325
500	20	1664	1686	1664	457	457	640	639	965	795	950	1400	6800
600	24	2043	2071	2043	534	534	708	640	1145	979	1045	1400	11900

CLASS 2500

mm

DN	NPS	A			B	B1	D	E	F	H	L1	W	重量kg R F
		R F	RTJ	WE									
50x40	2x21/2	451	451	451	38	44.5	/	93	250	150	600	/	80
50	2	451	451	451	44.5	44.5	198	105	270	250	297	300	120
80x50	3x2	578	584	578	44.5	63.5	198	105	270	250	297	300	160
80	3	578	584	578	63.5	63.5	250	127	350	305	340	700	246
100x80	4x3	673	683	673	63.5	89	250	127	350	305	340	700	300
100	4	673	683	673	89	89	305	156	400	360	340	700	470
150x100	6x4	914	927	914	89	133	305	156	400	360	340	700	670
150	6	914	927	914	133	133	355	240	480	430	575	700	937
200x150	8x6	1022	1038	1022	133	181	355	240	480	430	575	700	1150
200	8	1022	1038	1022	181	181	438	280	530	513	575	700	1410
250x200	10x8	1270	1292	1270	181	226	438	280	530	513	575	700	2100
250	10	1270	1292	1270	226	226	530	365	720	620	590	700	2600
300x250	12x10	1422	1445	1422	226	267	530	365	720	620	590	700	3300
300	12	1422	1445	1422	267	267	590	430	860	740	505	620	4200

Dimensions are only for reference. If other specifications are required, please feel free to contact us, we will customize according to your specifications.

Wenzhou Kerui Valve Industry Co., LTD

Address:

No.1 Tantou Village, Yongqiang High-tech Park, Longwan District, Wenzhou City, China

Post Code: 328024

Tel: +86-577-86928881 / +86-577-86990007

Fax: +86-577-86912312

E-mail: sale@createvalve.com / offer@createvalve.com